

**Work Completion Certificate**

This is to certify that Partex Furniture Industries Ltd. has supplied and installed the following Lab furniture for

*Collectorate Public School & College, Natore.*

as per specification and requirement below and entered in to stock register (Copy attached):

Item no	Name of Item	Technical Specifications and Standards	No. of Unit	Remark	
1	Computer Table (Student Table & Instructor Table)	Table made by 16mm and 18mm MFC Board. Top 16mm, surrounding falls covering 16 mm (32mm with edging) and one PVC edging scratch and termite proof MFC Board. Side will be 18 mm MFC Board and Panel 16mm MFC Board with 1mm thick PVC Edging . Stopper will be Adjustable Table Fully knock down system by using housing, dowel, JRN nut , wood pin, and Table Top cable passing 1nos hole with cover.(as per attached design)	11 nos.		
		Size			L 1400 x W 600 x H 750mm
		Colour			As per requirement
		Standard			ISO 9001:2008
		Packing			Carton/ poly pack
		Warranty			One year
		Identification Mark	Hologram and Monogram Sticker of manufacturer		
	CPU Base	Made by 16mm MFC Board with 1 mm PVC Edging, Housing and Pin Stopper. Base will be Fixed (to be attached by L-clamp between sideline and base below).			
		Size		L 300 x W 450 x H 84mm	
		Colour		As per requirement	
		Standard		ISO 9001:2008	
		Packing		Carton and poly pack	
Warranty		One year			
	Identification Mark	Hologram and Monogram Sticker of manufacturer			
2	Instruction Chair	Fixed type chair with hollow tubular arm rests are constructed with 1.00mm wall thick 31.75mm diameter coldrolled tubular Mild Steel with PVC stopper into leg end. PU foam cushioning Seat and polyfoam cushioning back fixed onply wood with best quality Rexene upholstery. Tubular arm rests are covered with 6mm thick 190mm longitude rubber sole with Rexene upholstery. Front legs and back legs are joining with each other by 1.4mm thick U channel type MS horizontal bar in bottom of the seat. Front of the armrests are curved. Bottom of the seat covered with poplin cloth with necessary staple. All mild steel components are chemically de-rusted zinc phosphate coated oven backed powder paint finish or better	1 nos.		
		Size			Height: Floor to Seat - 430mm, & Floor to Back -770mm, Size: Seat - L460mm xD460mm, Back - L460mmxH345mm or Higher
		Colour			As per requirement
		Standard			ISO 9001:2008
		Packing			Carton and poly pack
		Warranty			One year
					Identification Mark
3	Student Chair	Hollow tubular mild steel structural fixed type seatback separated chair made of imported single wall constructed curved HDEP shell. HDEP Seat and back shell is separated and fixed on MS structure by tubular MS structure. Main structure is of 1mm thick and 25mm dia MS tube with tapering shape. End of all mild steel tubes are sealed by PVC cap and all surfaces of MS are chemically de-rusted zinc phosphate coated oven backed powder paint finish or	30 nos.		
		Size			Size: Seat : 400x485mm Back : 485x330mm Floor to Seat: 455mm , Floor to back : 810
		Colour			as per sample
		Standard			ISO 9001:2008
		Packing			Carton and poly pack
		Warranty			One year
					Identification Mark

*[Signature]*  
Signature with seal and date  
(Principal/Head Teacher/Madrasa super)

*[Signature]* 09.07.18  
Signature with seal and date  
Assistant Programmer  
DoICT

জি.এম.ইস্রাফিল ইসলাম  
সহকারী  
কলেজের পরিচালক জুল এড কলেজ  
নাটোর।

*[Signature]* 09.7.18  
Counter Signature with seal and date  
UNO/Upazila Secondary Education officer


মোঃ শাহাদাত হোসেন  
সহকারী প্রোগ্রামার  
তথ্য ও যোগাযোগ প্রযুক্তি অধিদপ্তর  
নাটোর সদর, নাটোর।


**Work Completion Certificate**


This is to certify that Partex Furniture Industries Ltd. has supplied and installed the following Lab furniture for

**BURI BOTTOLA GIRLS HIGH SCHOOL**  
as per specification and requirement below and entered in to stock register (Copy attached):

Item no	Name of Item	Technical Specifications and Standards	No. of Unit	Remark					
1	Computer Table (Student Table & Instructor Table)	Table made by 16mm and 18mm MFC Board. Top 16mm, surrounding falls covering 16 mm (32mm with edging) and one PVC edging scratch and termite proof MFC Board. Side will be 18 mm MFC Board and Panel 16mm MFC Board with 1mm thick PVC Edging. Stopper will be Adjustable Table Fully knock down system by using housing, dowel, JRN nut, wood pin, and Table Top cable passing 1nos hole with cover.(as per attached design)	11 nos.						
		Size			L 1400 x W 600 x H 750mm				
		Colour			As per requirement				
		Standard			ISO 9001:2008				
		Packing			Carton/ poly pack				
		Warranty			One year				
		Identification Mark			Hologram and Monogram Sticker of manufacturer				
	CPU Base	Made by 16mm MFC Board with 1 mm PVC Edging, Housing and Pin Stopper. Base will be Fixed (to be attached by L-clamp between sideline and base below).							
		Size				L 300 x W 450 x H 84mm			
		Colour				As per requirement			
		Standard				ISO 9001:2008			
		Packing				Carton and poly pack			
		Warranty				One year			
		Identification Mark				Hologram and Monogram Sticker of manufacturer			
2	Instruction Chair	Fixed type chair with hollow tubular arm rests are constructed with 1.00mm wall thick 31.75mm diameter coldrolled tubular Mild Steel with PVC stopper into leg end. PU foam cushioning Seat and polyfoam cushioning back fixed onply wood with best qualityRexene upholstery. Tubular arm rests are covered with 6mm thick 190mm longitude rubber sole with Rexene upholstery. Front legs and back legs are joining with each other by 1.4mm thick U channel type MS horizontal bar in bottom of the seat. Front of the armrests are curved. Bottom of the seat covered with poplin cloth with necessary staple. All mild steel components are chemically de-rusted zinc phosphate coated oven backed powder paint finish or better	1 nos.						
		Size				Height: Floor to Seat - 430mm, & Floor to Back -770mm, Size: Seat - L460mm xD460mm, Back - L460mmxH345mm or Higher			
		Colour				As per requirement			
		Standard				ISO 9001:2008			
		Packing				Carton and poly pack			
		Warranty				One year			
		Identification Mark				Monogram Sticker			
		3			Student Chair	Hollow tubular mild steel structural fixed type seatback separated chair made of imported single wall constructed curved HDEP shell. HDEP Seat and back shell is separated and fixed on MS structure by tubular MS structure. Main structure is of 1mm thick and 25mm dia MS tube with tapering shape. End of all mild steel tubes are sealed by PVC cap and all surfaces of MS are chemically de-rusted zinc phosphate coated oven backed powder paint finish or	30 nos.		
						Size			Size: Seat : 400x485mm Back : 485x330mm Floor to Seat: 455mm, Floor to back : 810
						Colour			as per sample
Standard	ISO 9001:2008								
Packing	Carton and poly pack								
Warranty	One year								
Identification Mark	Monogram Sticker								

  
02.09.18  
Signature with seal and date  
(Principal/Head Teacher/Madrasa super)  
শ্রদ্ধা শিক্ষিকা/সম্পাদিকা  
বুড়িভট্টা বালিকা উচ্চ বিদ্যালয়  
পেঃ পীরগঞ্জ, থানা ও জেলাঃ নাটোর  
যোগাঃ ০১৭২৬০-৪২৩৩৩

  
09.07.18  
Signature with seal and date  
Assistant Programmer  
DoICT

  
09.07.18  
Counter Signature with seal and date  
UNO/Upazila Secondary Education officer

মোঃ শাহাদাত হোসেন  
সহকারী প্রোগ্রামার  
তথ্য ও যোগাযোগ প্রযুক্তি অধিদপ্তর  
নাটোর সদর, নাটোর।


**Work Completion Certificate**

This is to certify that Partex Furniture Industries Ltd. has supplied and installed the following Lab furniture for


**NATORE GOVT. GIRLS' HIGH SCHOOL, NATORE**


as per specification and requirement below and entered in to stock register (Copy attached):

Item no	Name of Item	Technical Specifications and Standards	No. of Unit	Remark			
1	Computer Table (Student Table & Instructor Table)	Table made by 16mm and 18mm MFC Board. Top 16mm, surrounding falls covering 16 mm (32mm with edging) and one PVC edging scratch and termite proof MFC Board. Side will be 18 mm MFC Board and Panel 16mm MFC Board with 1mm thick PVC Edging. Stopper will be Adjustable Table Fully knock down system by using housing, dowel, JRN nut, wood pin, and Table Top cable passing 1nos hole with cover. (as per attached design)	11 nos.				
		Size			L 1400 x W 600 x H 750mm		
		Colour			As per requirement		
		Standard			ISO 9001:2008		
		Packing			Carton/ poly pack		
		Warranty			One year		
	Identification Mark	Hologram and Monogram Sticker of manufacturer					
	CPU Base	Made by 16mm MFC Board with 1 mm PVC Edging, Housing and Pin Stopper. Base will be Fixed (to be attached by L-clamp between siddine and base below).			11 nos.		
		Size					L 300 x W 450 x H 84mm
		Colour					As per requirement
		Standard					ISO 9001:2008
		Packing					Carton and poly pack
Warranty		One year					
Identification Mark	Hologram and Monogram Sticker of manufacturer						
2	Instruction Chair	Fixed type chair with hollow tubular arm rest are constructed with 1.00mm wall thick 31.75mm diameter coldrolled tubular Mild Steel with PVC stopper into leg end. PU foam cushioning Seat and polyfoam cushioning back fixed onply wood with best quality Rexene upholstery. Tubular arm rests are covered with 6mm thick 190mm longitude rubber sole with Rexene upholstery. Front legs and backlegs are joining with each other by 1.4mm thick U channel type MS horizontal bar in bottom of the seat. Front of the armrests are curved. Bottom of the seat covered with poplin cloth with necessary staple. All mild steel components are chemically de-rusted zinc phosphate coated oven backed powder paint finish or better	1 nos.				
		Size					Height: Floor to Seat - 430mm, & Floor to Back - 770mm, Size: Seat - L460mm x D460mm, Back - L460mm x H345mm or Higher
		Colour					As per requirement
		Standard					ISO 9001:2008
		Packing					Carton and poly pack
		Warranty			One year		
		Identification Mark			Monogram Sticker		
3	Student Chair	Hollow tubular mild steel structural fixed type seatback separated chair made of imported single wall constructed curved HDEP shell. HDEP Seat and back shell is separated and fixed on MS structure by tubular MS structure. Main structure is of 1mm thick and 25mm dia MS tube with tapering shape. End of all mild steel tubes are sealed by PVC cap and all surfaces of MS are chemically de-rusted zinc phosphate coated oven backed powder paint finish or	30 nos.				
		Size			Size: Seat : 400x485mm Back : 485x330mm Floor to Seat: 455mm, Floor to back : 810		
		Colour			as per sample		
		Standard			ISO 9001:2008		
		Packing			Carton and poly pack		
		Warranty			One year		
		Identification Mark			Monogram Sticker		

✓   
Signature with seal and date  
(Principal/Head Teacher/Madrassa super)

প্রধান শিক্ষক  
নাটোর সরকারি বালিকা উচ্চ বিদ্যালয়  
নাটোর।

  
Signature with seal and date  
Assistant Programmer  
DoICT

  
Counter Signature with seal and date  
UNO/Upazila Secondary Education officer

মোঃ শাহাদাত হোসেন  
সহকারী প্রোগ্রামার  
তথ্য ও যোগাযোগ প্রযুক্তি অধিদপ্তর  
নাটোর সদর, নাটোর।

**Work Completion Certificate**

This is to certify that Partex Furniture Industries Ltd. has supplied and installed the following Lab furniture for

**NABA BIDHAN UCCHA BALIKA VIDALAYA**

as per specification and requirement below and entered in to stock register (Copy attached):

Item no	Name of Item	Technical Specifications and Standards	No. of Unit	Remark	
1	Computer Table (Student Table & Instructor Table)	Table made by 16mm and 18mm MFC Board. Top 16mm, surrounding falls covering 16 mm (32mm with edging) and one PVC edging scratch and termite proof MFC Board. Side will be 18 mm MFC Board and Panel 16mm MFC Board with 1mm thick PVC Edging. Stopper will be Adjustable Table Fully knock down system by using housing, dowel, JRN nut, wood pin, and Table Top cable passing 1 nos hole with cover. (as per attached design)	11 nos.		
		Size			L 1400 x W 600 x H 750mm
		Colour			As per requirement
		Standard			ISO 9001:2008
		Packing			Carton/ poly pack
		Warranty			One year
		Identification Mark			Hologram and Monogram Sticker of manufacturer
	CPU Base	Made by 16mm MFC Board with 1mm PVC Edging, Housing and Pin Stopper. Base will be Fixed (to be attached by L-clamp between sideline and base below).			
		Size			L 300 x W 410 x H 84mm
		Colour			As per requirement
		Standard			ISO 9001:2008
		Packing			Carton and poly pack
		Warranty			One year
		Identification Mark			Hologram and Monogram Sticker of manufacturer
2	Instruction Chair	Fixed type chair with hollow tubular arm rests are constructed with 1.00mm wall thick 31.75mm diameter coldrolled tubular Mild Steel with PVC stopper into leg end. PU foam cushioning Seat and polyfoam cushioning back fixed onply wood with best quality Rexene upholstery. Tubular arm rests are covered with 6mm thick 190mm longitude rubber sole with Rexene upholstery. Front legs and back legs are joining with each other by 1.4mm thick U channel type MS horizontal bar in bottom of the seat. Front of the armrests are curved. Bottom of the seat covered with poplin cloth with necessary staple. All mild steel components are chemically de-rusted zinc phosphate coated oven backed powder paint finish or better	1 nos.		
		Size			Height: Floor to Seat - 430mm, & Floor to Back - 770mm, Size: Seat - L460mm x D440mm, Back - L460mm x H345mm or Higher
		Colour			As per requirement
		Standard			ISO 9001:2008
		Packing			Carton and poly pack
		Warranty			One year
		Identification Mark			Monogram Sticker
		3			Student Chair
Size	Size: Seat : 400x485mm Back : 485x330mm Floor to Seat: 455mm, Floor to back : 810				
Colour	as per sample				
Standard	ISO 9001:2008				
Packing	Carton and poly pack				
Warranty	One year				
Identification Mark	Monogram Sticker				

Signature with seal and date  
(Principal) **শ্রীমান মোস্তাফিজ সরকার**  
বিদ্যালয় প্রধান/ Madrasa Supervisor  
বাধান শিক্ষক/সহকারী

ইনডেক্স নং-২৪৯১২৮  
নববিধান উচ্চ বালিকা বিদ্যালয়  
উনজেলা ও জেলা-নাটোর।

Counter Signature with seal and date  
UNO/Upazilla Secondary Education officer

Signature with seal and date  
Assistant Programmer  
DoICT

মোঃ শাহাদাত হোসেন  
সহকারী প্রোগ্রামার  
তথ্য ও যোগাযোগ প্রযুক্তি অধিদপ্তর  
নাটোর সদর, নাটোর।

**Work Completion Certificate**

This is to certify that Partex Furniture Industries Ltd. has supplied and installed the following Lab furniture for

*Rani Bhabani Govt Women's College, BATORA*

as per specification and requirement below and entered in to stock register (Copy attached):

Item no	Name of Item	Technical Specifications and Standards	No. of Unit	Remark	
1	Computer Table (Student Table & Instructor Table)	Table made by 16mm and 18mm MFC Board. Top 16mm, surrounding falls covering 16 mm (32mm with edging) and one PVC edging scratch and termite proof MFC Board. Side will be 18mm MFC Board and Panel 16mm MFC Board with 1mm thick PVC Edging. Stopper will be Adjustable Table Fully knock down system by using housing, dowel, JRN nut, wood pin, and Table Top cable passing 1nos hole with cover.(as per attached design)	11 nos.		
		Size			L 1400 x W 600 x H 750mm
		Colour			As per requirement
		Standard			ISO 9001:2008
		Packing			Carton/ poly pack
		Warranty			One year
	Identification Mark	Hologram and Monogram Sticker of manufacturer			
	CPU Base	Made by 16mm MFC Board with 1 mm PVC Edging, Housing and Pin Stopper. Base will be Fixed (to be attached by L-clamp between sideline and base below).			
		Size			L 300 x W 450 x H 84mm
		Colour			As per requirement
		Standard			ISO 9001:2008
		Packing			Carton and poly pack
Warranty		One year			
Identification Mark	Hologram and Monogram Sticker of manufacturer				
2	Instruction Chair	Fixed type chair with hollow tubular arm rests are constructed with 1.00mm wall thick 31.75mm diameter coldrolled tubular Mild Steel with PVC stopper into leg end. PU foam cushioning Seat and polyfoam cushioning back fixed onply wood with best qualityRexene upholstery. Tubular arm rests are covered with 6mm thick 190mm longitude rubber sole with Rexene upholstery. Front legs and back legs are joining with each other by 1.4mm thick U channel type MS horizontal bar in bottom of the seat. Front of the armrests are curved. Bottom of the seat covered with poplin cloth with necessary staple. All mild steel components are chemically de-rusted zinc phosphate coated oven backed powder paint finish or better	1 nos.		
		Size			Height: Floor to Seat - 430mm, & Floor to Back -770mm, Size: Seat - L460mm xD460mm, Back - L460mmxH345mm or Higher
		Colour			As per requirement
		Standard			ISO 9001:2008
		Packing			Carton and poly pack
		Warranty			One year
		Identification Mark			Monogram Sticker
3	Student Chair	Hollow tubular mild steel structural fixed type seatback separated chair made of imported single wall constructed curved HDEP shell. HDEP Seat and back shell is separated and fixed on MS structure by tubular MS structure. Main structure is of 1mm thick and 25mm dia MS tube with tapering shape. End of all mild steel tubes are sealed by PVC cap and all surfaces of MS are chemically de-rusted zinc phosphate coated oven backed powder paint finish or	30 nos.		
		Size			Size: Seat : 400x485mm Back : 485x330mm Floor to Seat: 455mm , Floor to back : 810
		Colour			as per sample
		Standard			ISO 9001:2008
		Packing			Carton and poly pack
		Warranty			One year
		Identification Mark			Monogram Sticker

*[Signature]*  
Signature with seal and date  
(Principal/Head Teacher/Madrasa super)

অধ্যক্ষ  
রানা ভবানী সরকারী মহিলা কলেজ  
নাটোর।

*[Signature]*  
Counter Signature with seal and date  
UNO/Upazila Secondary Education officer

*[Signature]*  
Signature with seal and date  
Assistant Programmer  
DoICT

মোঃ শাহাদাত হোসেন  
সহকারী প্রোগ্রামার  
তথ্য ও যোগাযোগ প্রযুক্তি অধিদপ্তর  
নাটোর সদর, নাটোর।


**Work Completion Certificate**


This is to certify that Partex Furniture Industries Ltd. has supplied and installed the following Lab furniture for


**KAPURIA DEGREE COLLEGE, NATORE.**

as per specification and requirement below and entered in to stock register (Copy attached):

Item no	Name of Item	Technical Specifications and Standards	No. of Unit	Remark					
1	Computer Table (Student Table & Instructor Table)	Table made by 16mm and 18mm MFC Board. Top 16mm, surrounding falls covering 16 mm (32mm with edging) and one PVC edging scratch and termite proof MFC Board. Side will be 18 mm MFC Board and Panel 16mm MFC Board with 1mm thick PVC Edging . Stopper will be Adjustable Table Fully knock down system by using housing, dowel, JRN nut , wood pin, and Table Top cable passing 1nos hole with cover.(as per attached design)	11 nos.						
		Size			L 1400 x W 600 x H 750mm				
		Colour			As per requirement				
		Standard			ISO 9001:2008				
		Packing			Carton/ poly pack				
		Warranty			One year				
		Identification Mark			Hologram and Monogram Sticker of manufacturer				
	CPU Base	Made by 16mm MFC Board with 1 mm PVC Edging, Housing and Pin Stopper. Base will be Fixed (to be attached by L-clamp between sideline and base below).			11 nos.				
		Size					L 300 x W 450 x H 84mm		
		Colour					As per requirement		
		Standard					ISO 9001:2008		
		Packing					Carton and poly pack		
		Warranty					One year		
		Identification Mark					Hologram and Monogram Sticker of manufacturer		
2	Instruction Chair	Fixed type chair with hollow tubular arm rests are constructed with 1.00mm wall thick 31.75mm diameter coldrolled tubular Mild Steel with PVC stopper into leg end. PU foam cushioning Seat and polyfoam cushioning back fixed onply wood with best qualityRexene upholstery. Tubular arm rests are covered with 6mm thick 190mm longitude rubber sole with Rexene upholstery. Front legs and back legs are joining with each other by 1.4mm thick U channel type MS horizontal bar in bottom of the seat. Front of the armrests are curved. Bottom of the seat covered with poplin cloth with necessary staple. All mild steel components are chemically de-rusted zinc phosphate coated oven backed powder paint finish or better	1 nos.						
		Size					Height: Floor to Seat - 430mm, & Floor to Back -770mm, Size: Seat - L460mm xD460mm, Back - L460mmxH345mm or Higher		
		Colour					As per requirement		
		Standard					ISO 9001:2008		
		Packing					Carton and poly pack		
		Warranty					One year		
		Identification Mark					Monogram Sticker		
		3			Student Chair	Hollow tubular mild steel structural fixed type seatback separated chair made of imported single wall constructed curved HDEP shell. HDEP Seat and back shell is separated and fixed on MS structure by tubular MS structure. Main structure is of 1mm thick and 25mm dia MS tube with tapering shape. End of all mild steel tubes are sealed by PVC cap and all surfaces of MS are chemically de-rusted zinc phosphate coated oven backed powder paint finish or	30 nos.		
						Size			Size: Seat : 400x485mm Back : 485x330mm Floor to Seat: 455mm , Floor to back : 810
						Colour			as per sample
Standard	ISO 9001:2008								
Packing	Carton and poly pack								
Warranty	One year								
Identification Mark	Monogram Sticker								

  
Signature with seal and date  
(Principal/Head Teacher/Madrasa super)

  
Signature with seal and date  
Assistant Programmer  
DoICT

  
Counter Signature with seal and date  
UNO/Upazila Secondary Education officer

মোঃ শাহাদাত হোসেন  
সহকারী প্রোগ্রামার  
তথ্য ও যোগাযোগ প্রযুক্তি অধিদপ্তর  
নাটোর সদর, নাটোর।

**Work Completion Certificate**

This is to certify that Partex Furniture Industries Ltd. has supplied and installed the following Lab furniture for Bangabandhu Shaikh Mujib College, Chandrakola (124244) as per specification and requirement below and entered in to stock register (Copy attached):

Item no	Name of Item	Technical Specifications and Standards	No. of Unit	Remark		
1	Computer Table (Student Table & Instructor Table)	Table made by 16mm and 18mm MFC Board. Top 16mm, surrounding falls covering 16 mm (32mm with edging) and one PVC edging scratch and termite proof MFC Board. Side will be 18 mm MFC Board and Panel 16mm MFC Board with 1mm thick PVC Edging . Stopper will be Adjustable Table Fully knock down system by using housing, dowel, JRN nut , wood pin, and Table Top cable passing 1nos hole with cover.(as per attached design)	11 nos.			
		Size			L 1400 x W 600 x H 750mm	
		Colour			As per requirement	
		Standard			ISO 9001:2008	
		Packing			Carton/ poly pack	
		Warranty			One year	
		Identification Mark			Hologram and Monogram Sticker of manufacturer	
	CPU Base	Made by 16mm MFC Board with 1 mm PVC Edging, Housing and Pin Stopper. Base will be Fixed (to be attached by L-clamp between sideline and base below).			1 nos.	
		Size				L 300 x W 450 x H 84mm
		Colour				As per requirement
		Standard				ISO 9001:2008
		Packing				Carton and poly pack
		Warranty				One year
		Identification Mark				Hologram and Monogram Sticker of manufacturer
2	Instruction Chair	Fixed type chair with hollow tubular arm rests are constructed with 1.00mm wall thick 31.75mm diameter coldrolled tubular Mild Steel with PVC stopper into leg end. PU foam cushioning Seat and polyfoam cushioning back fixed onply wood with best qualityRexene upholstery. Tubular arm rests are covered with 6mm thick 190mm longitude rubber sole with Rexene upholstery. Front legs and back legs are joining with each other by 1.4mm thick U channel type MS horizontal bar in bottom of the seat. Front of the armrests are curved. Bottom of the seat covered with poplin cloth with necessary staple. All mild steel components are chemically de-rusted zinc phosphate coated oven backed powder paint finish or better	1 nos.			
		Size				Height: Floor to Seat - 430mm, & Floor to Back -770mm, Size: Seat - L460mm xD460mm, Back - L460mmxH345mm or Higher
		Colour				As per requirement
		Standard				ISO 9001:2008
		Packing				Carton and poly pack
		Warranty				One year
		Identification Mark				Monogram Sticker
3	Student Chair	Hollow tubular mild steel structural fixed type seatback separated chair made of imported single wall constructed curved HDEP shell. HDEP Seat and back shell is separated and fixed on MS structure by tubular MS structure. Main structure is of 1mm thick and 25mm dia MS tube with tapering shape. End of all mild steel tubes are sealed by PVC cap and all surfaces of MS are chemically de-rusted zinc phosphate coated oven backed powder paint finish or	30 nos.			
		Size			Size: Seat : 400x485mm Back : 485x330mm Floor to Seat: 455mm , Floor to back : 810	
		Colour			as per sample	
		Standard			ISO 9001:2008	
		Packing			Carton and poly pack	
		Warranty			One year	
		Identification Mark			Monogram Sticker	

Signature with seal and date  
(Principal/Head Teacher/Madrasah Supervisor)  
07/18

Signature with seal and date  
Assistant Programmer  
DoICT  
07/18

Counter Signature with seal and date  
UNO/Upazila Secondary Education officer  
07/18

মোঃ শাহাদাত হোসেন  
সহকারী প্রোগ্রামার  
তথ্য ও যোগাযোগ প্রযুক্তি অধিদপ্তর  
নাটোর সদর, নাটোর

**Work Completion Certificate**

This is to certify that Partex Furniture Industries Ltd. has supplied and installed the following Lab furniture for

*স্বাধীনতা মাদ্রাসা উচ্চ বিদ্যালয়, নাটোর*

as per specification and requirement below and entered in to stock register (Copy attached):

Item no	Name of Item	Technical Specification and Standards	No. of Unit	Remark	
1	Computer Table (Student Table & Instructor Table)	Table made by 16mm and 18mm MFC Board. Top 16mm, surrounding falls covering 16 mm (32mm with edging) and one PVC edging scratch and termite proof MFC Board. Side will be 18 mm MFC Board and Panel 16mm MFC Board with 1mm thick PVC Edging. Stopper will be Adjustable Table Fully knock down system by using housing, dowel, JRN nut, wood pin, and Table Top cable passing 1nos hole with cover.(as per attached design)	11 nos.		
		Size			L 1400 x W 600 x H 750mm
		Colour			As per requirement
		Standard			ISO 9001:2008
		Packing			Carton/ poly pack
		Warranty			One year
		Identification Mark			Hologram and Monogram Sticker of manufacturer
		CPU Base			Made by 16mm MFC Board with 1 mm PVC Edging, Housing and Pin Stopper. Base will be Fixed (to be attached by L-clamp between sideline and base below).
	Size		L 300 x W 450 x H 84mm		
	Colour		As per requirement		
	Standard		ISO 9001:2008		
	Packing		Carton and poly pack		
	Warranty		One year		
	Identification Mark	Hologram and Monogram Sticker of manufacturer			
2	Instruction Chair	Fixed type chair with hollow tubular arm rests are constructed with 1.00mm wall thick 31.75mm diameter coldrolled tubular Mild Steel with PVC stopper into leg end. PU foam cushioning Seat and polyfoam cushioning back fixed onply wood with best quality Rexene upholstery. Tubular arm rests are covered with 6mm thick 190mm longitude rubber sole with Rexene upholstery. Front legs and back legs are joining with each other by 1.4mm thick U channel type MS horizontal bar in bottom of the seat. Front of the armrests are curved. Bottom of the seat covered with poplin cloth with necessary staple. All mild steel components are chemically de-rusted zinc phosphate coated oven backed powder paint finish or better	1 nos.		
		Size			Height: Floor to Seat - 430mm, & Floor to Back -770mm, Size: Seat - L460mm x D460mm, Back- L460mm x H345mm or Higher
		Colour			As per requirement
		Standard			ISO 9001:2008
		Packing			Carton and poly pack
		Warranty			One year
		Identification Mark			Monogram Sticker
3	Student Chair	Hollow tubular mild steel structural fixed type seatback separated chair made of imported single wall constructed curved HDEP shell. HDEP Seat and back shell is separated and fixed on MS structure by tubular MS structure. Main structure is of 1mm thick and 25mm dia MS tube with tapering shape. End of all mild steel tubes are sealed by PVC cap and all surfaces of MS are chemically de-rusted zinc phosphate coated oven backed powder paint finish or	30 nos.		
		Size			Size: Seat : 400x485mm Back : 485x330mm Floor to Seat: 455mm, Floor to back : 810
		Colour			as per sample
		Standard			ISO 9001:2008
		Packing			Carton and poly pack
		Warranty			One year
		Identification Mark			Monogram Sticker

*[Signature]*  
05.7.18  
Signature with seal and date  
(Principal/Head Teacher/Madrassa super)

স্বাধীনতা মাদ্রাসা উচ্চ বিদ্যালয়  
স্বাধীনতা মাদ্রাসা উচ্চ বিদ্যালয়, নাটোর।  
ই-মেইল: [madrasa@partextarget.com](mailto:madrasa@partextarget.com)

*[Signature]*  
09.7.18  
Counter Signature with seal and date  
UNO/Upazila Secondary Education officer

*[Signature]*  
09.07.18  
Signature with seal and date  
Assistant Programmer  
DoICT  
মোঃ শাহাদাত হোসেন  
সহকারী প্রোগ্রামার  
তথ্য ও যোগাযোগ প্রযুক্তি অধিদপ্তর  
নাটোর সদর, নাটোর